



SRH Headphones SE Sound Isolating[™] Earphones

AUDIO ELEVATED, EVERYWHERE.

The full spectrum of sound.

Whether in the studio, on stage, or on the go, Shure offers a complete range of headphones and earphones for every kind of listener.

PREMIUM HEADPHONES

Perfectly suited for mastering and critical listening, Shure premium headphones deliver natural sound with unmatched nuance and detail.

STUDIO HEADPHONES

Engineered for accurate response, Shure studio headphones are ideal for both professional monitoring and personal listening.

PORTABLE HEADPHONES

Made to go anywhere, Shure portable headphones feature full, clear sound in a lightweight, foldable design that's easy to store or carry.

EARPHONES

Developed for personal monitoring, yet equally suited for personal listening, Shure sound isolating earphones deliver detailed audio while naturally blocking most background noise.



SRH**1840**



Professional Open Back Headphones Designed for mastering and critical listening

FEATURES

REMIUM

INCLUDES

- Unparalleled acoustic performance with individually matched 40 mm neodymium drivers that deliver smooth extended highs and accurate bass
 Dual-evit detach
- smooth extended highs and accurate bass • Open-back, circumaural design for exceptionally natural sound wide stereo image and increased denth of field connectors

• Zippered hard

storage case

gold-plated adapter

- sound, wide stereo image, and increased depth of field connectors Unigue steel driver frame design improves linearity • Threaded ¹/4"
- Unique steel driver frame design improves linearity, eliminates internal resonance, and ensures consistent performance at all volume levels
- Lightweight and durable dual-frame construction with aircraft-grade aluminum alloy yoke and stainless steel grilles for enhanced durability and hours of listening comfort





SRH**1440**



Professional Open Back Headphones Designed for mastering and critical listening

FEATURES

- Full-range audio with rich, controlled bass from 40 mm neodymium drivers
- Open-back, circumaural design for exceptionally natural sound, wide stereo image, and increased depth of field
- Ergonomically designed, fully adjustable, premium steel-frame padded headband for hours of listening comfort
- Impedance-optimized for direct connection to a wide range of portable audio devices

INCLUDES

 Additional pair of velour ear pads

PREMIUM

- Dual-exit, detachable cables with MMCX connectors
- Threaded 1/4"
- gold-plated adapter

 Zippered hard
- storage case

SRH1540



Premium Closed-Back Headphones

Designed for critical listening and monitoring

FEATURES

- Superior acoustic performance for an expansive soundstage with clear, extended highs and warm bass
- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Lightweight construction featuring aircraft-grade aluminum alloy yoke and carbon fiber cap for enhanced durability
- Ergonomic dual-frame, padded headband is lightweight and fully adjustable for hours of listening comfort


PREMIUM

- INCLUDES
- Additional pair of Alcantara[™] ear pads
 Dual-exit, detachable
- cables with MMCX connectors
- Threaded ¼" gold-plated adapter
 Zippered hard
- storage case





SRH**940**



FEATURES





- Accurate frequency response delivers tight bass and smooth, high-end extension, with minimal distortion
- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Lightweight, ergonomic fit with premium padded headband for comfortable, extended wear
- Collapsible design with 90-degree swivel ear cups for easy storage and portability
- Bayonet clip securely locks detachable cable into ear cup

- Additional pair of velour ear pads
- Detachable coiled and straight cables
- Threaded 1/4" gold-plated adapter
- Zippered hard travel case

SRH**840**



Professional Monitoring Headphones Optimized for studio recording

FEATURES

- Tailored frequency response delivers rich bass, clear mid-range and extended highs
- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Wide, padded headband provides ergonomic fit for superior comfort over extended periods
- Collapsible design for convenient portability
- Bayonet clip securely locks detachable cable into ear cup

INCLUDES

- Additional pair of ear pads
- Detachable coiled cable
- Threaded ¹/4" gold-plated adapter
 - Carrying bag



SRH750DJ



Professional DJ Headphones

Engineered for live DJ mixing and monitoring

FEATURES

- Enhanced frequency response tuned to deliver high-output bass with extended highs
- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Adjustable, collapsible headband with 90-degree swivel ear cups for comfort and easy one-ear placement
- Maximized power handling for DJ mixers
- Bayonet clip securely locks detachable cable into ear cup

STUDIO DJ

- INCLUDES • Additional pair of ear pads
- Detachable coiled cable
- Threaded ¹/4" gold-plated adapter
- Carrying bag

SRH550DJ



Professional Quality DJ Headphones Designed for DJ mixing and personal listening

FEATURES

- Full-range frequency response with extended bass
- Closed-back, supra-aural design for comfortable, isolating fit
- Adjustable, collapsible headband with 90-degree swivel ear cups for comfort and flexible wearing positions
- Ultra-lightweight design folds to small size for maximum portability

INCLUDES

STUDIO DJ

- Threaded ¹/₄" gold-plated adapter Carrying bag



SRH**440**



Professional Studio Headphones

Developed for professional and home studios

FEATURES

- Enhanced frequency response delivers accurate audio across an extended range
- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Optimized impedance and power handling for performance with professional audio devices
- Adjustable headband and collapsible construction provide comfort and portability
- Bayonet clip securely locks detachable cable into ear cup

- INCLUDES • Detachable coiled cable • Threaded 1/4"
- gold-plated adapter Carrying bag

SRH**240A**



Professional Quality Headphones

Ideal for vivid listening on almost any device

FEATURES

- Wide frequency range delivers full bass and detailed highs
- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Optimized performance for use with most pro and consumer audio devices

INCLUDES

- Threaded ¹/4" nickel-plated adapter



SRH**145/m+**



Portable Headphones Designed for immersive listening on the go

FEATURES

- Rich deep bass with full range audio
- Closed-back, on-ear design for external noise isolation and comfortable fit
- Ultra-lightweight, collapsible headband for compact carrying and storage



PORTABLE



SRH**144**

Portable Semi-Open Headphones

Designed for detailed listening on the go

PORTABLE

FEATURES

- Extended range audio with enhanced high-frequency response
- Semi-open, on-ear design for natural sound and comfortable fit
- Ultra-lightweight, collapsible headband for compact carrying and storage

Inline microphone and three button remote for music and calls (SRH145m+ only)





SE**846**



Sound Isolating[™] Earphones

Extended high-end clarity + unparalleled low-end performance

SPEAKER

Quad High-Definition MicroDrivers with True Subwoofer

FEATURES

- Groundbreaking low-pass filter design enables the deep low-end performance of a True Subwoofer without sacrificing clarity or detail
- Adjustable frequency response for customized sound signatures; balanced, warm and bright options included
- Three-way system configuration for dedicated low, mid and high frequency distribution
- Detachable, Kevlar[™] reinforced cable in two lengths allows for flexible wearing options and customization

INCLUDES

- Soft flex sleeves (S, M, L)
 Foam sleeves (S, M, L)
- Yellow foam sleeves
- Triple flange sleeves
- Road case
- Premium carrying case
- ¼" adapter
- Airline adapter
- Volume control
- Nozzle removal key
- 2 pairs of nozzle inserts
- Polishing cloth





Spacious sound + rich bass

SPEAKER

Triple High-Definition MicroDrivers

FEATURES

- Dedicated dual woofers and a single tweeter per channel for spacious soundstage and rich bass
- Internal crossover routes high and low frequencies for clarity across the audio spectrum
- Rugged and ergonomic build provides long-lasting comfort and durability for on-stage or everyday use
- Detachable, Kevlar[™] reinforced cable with wireform fit for easy replacement or customization

INCLUDES

- Soft flex sleeves (S, M, L)
- Foam sleeves (S, M, L)
 - Yellow foam sleeves
 - Triple flange sleeves • Premium carrying case
 - ¼" adapter
 - Airline adapter
 - Volume control

Metallic Bronze
 Clear



SE425 | Sound Isolating[™] Earphones Accurate + balanced sound



INCLUDES • Soft flex sleeves (S, M, L)

- Foam sleeves (S, M, L)
- Yellow foam sleeves
- Triple flange sleeves
 - 1/4" adapter



- Premium carrying case
- 315

SHURE

○ Black
O Clear

SE**315**

- Tuned BassPort INCLUDES • Soft flex sleeves (S, M, L) • Foam sleeves (S, M, L)
 - Yellow foam sleeves • Triple flange sleeves • Carrying case

Full range sound

SPEAKER

Sound Isolating[™] Earphones

High-Definition MicroDriver +

SE**215**



INCLUDES • Soft flex sleeves (S, M, L) • Foam sleeves (S, M, L) • Carrying case

SPEAKER

Dynamic MicroDriver



- Sound Isolating[™] Earphones Detailed sound + enhanced bass
- Sound Isolating[™] Earphones SE112/m+ Great sound + deep bass SPEAKER **Dynamic MicroDriver** INCLUDES • Soft flex sleeves (S, M, L) • Carrying pouch Inline microphone and three button remote for music and calls (SE112m+ only) Made for Gray





315

| Model | SE112/m+ | SE 215 | SE 315 | SE 425 | SE 535 | SE 846 |
|-----------------|----------------------------|-----------------------------------|------------------|------------------------------|-------------------------------|--|
| SOUND SIGNATURE | Great sound + deep bass | Detailed sound + enhanced bass | Full range sound | Accurate + balanced sound | Spacious sound + rich bass | Extended high-end clarity + unparalleled low-end performance |

Specifications

| DRIVER | ⊲ Single | ⊲ Single | ■ Single High-Definition | ◄ Dual High-Definition | ◀ ◀ ◀ Triple High-Definition | ◀◀◀◀ Quad High-Definition |
|----------------------------|-----------------------------|---|---|---|---|---|
| SENSITIVITY (1 kHz) | 105 db SPL/mW | 107 db SPL/mW | 116 db SPL/mW | 109 db SPL/mW | 119 db SPL/mW | 114 db SPL/mW |
| IMPEDANCE (Nominal, 1 kHz) | 16 Ω | 17 Ω | 27 Ω | 22 Ω | 36 Ω | 9 Ω |
| FREQUENCY RANGE | 25 Hz – 17 kHz | 22 Hz – 17.5 kHz | 22 Hz – 18.5 kHz | 20 Hz – 19 kHz | 18 Hz – 19 kHz | 15 Hz – 20 kHz |
| CABLE | Attached 50" (127 cm) cable | Detachable 64" (162 cm) cable with wireform fit | Detachable 64" (162 cm) cable with wireform fit | Detachable 64* (162 cm) cable with wireform fit | Detachable 64" (162 cm) cable with wireform fit | Detachable 64" (162 cm) and 46" (116 cm) cables with wireform fit |

| Accessories | | | | | |
|---------------------------|--|----------|----------|----------|-----------|
| SOFT FLEX SLEEVES (S,M,L) | | | | | |
| FOAM SLEEVES (S,M,L) | | | | | |
| YELLOW FOAM SLEEVES | | | | | |
| TRIPLE FLANGE SLEEVES | | A | A | A | A |
| ROAD CASE | | | | | |
| PREMIUM CARRYING CASE | | | | | |
| CARRYING CASE/POUCH | | | | | |
| 1/4" ADAPTER | | | | | |
| AIRLINE ADAPTER | | | | | |
| VOLUME CONTROL | | | | | _ |
| NOZZLE REMOVAL KEY | | | | | |
| NOZZLE INSERTS | | | | | |
| POLISHING CLOTH | | | | | |

Detachable. Replaceable. Customizable.

Shure Sound Isolating[™] Earphones feature detachable, Kevlar[™] reinforced cables that allow for easy replacement or customization.




Music + Mobile.

DETAILED SOUND FOR MUSIC AND CALLS Add Music Phone Accessory Cables to convert your Shure detachable earphones into a stereo mobile headset with enhanced controls for musicenabled phones and portable devices. Two versions are available based on device compatibility.



Isolation, not cancellation.



ISOLATION Sound isolating earphones naturally block most background circuitry to counteract noise for a clear, detailed listening experience.

CANCELLATION Noise cancellation technology uses active background noise, which may introduce artifacts into your audio.

SRH Headphones Specifications and Accessories

| | PORTABLE | | | | STUDIO | | | |
|-----------------------------|--|--|---|--|--|--|--|---|
| | | | | | | | | |
| Model | SRH 144 | SRH 145/m + | SRH 240A | SRH 440 | SRH 550DJ | SRH 750DJ | SRH 840 | SRH 940 |
| USE | Designed for detailed listening on the go | Designed for immersive listening on the go | Ideal for vivid listening on almost any device | Developed for professional and home studios | Designed for DJ mixing and personal listening | Engineered for live professional DJ mixing and monitoring | Optimized for professional studio recording | Designed for critical listening, monitoring and mastering |
| Specifications | | | | | | | | |
| DESIGN | Semi-open, Supra-aural | Closed-Back, Supra-aural | Closed-Back, Circumaural | Closed-Back, Circumaural | Closed-Back, Supra-aural | Closed-Back, Circumaural | Closed-Back, Circumaural | Closed-Back, Circumaural |
| DRIVER | 36 mm dynamic, neodymium magnet | 36 mm dynamic, neodymium magnet | 40 mm dynamic, neodymium magnet | 40 mm dynamic, neodymium magnet | 50 mm dynamic, neodymium magnet | 50 mm dynamic, neodymium magnet | 40 mm dynamic, neodymium magnet | 40 mm dynamic, neodymium magnet |
| SENSITIVITY (1 kHz) | 96 dB/mW | 100 dB/mW | 107 dB/mW | 105 dB/mW | 109 dB/mW | 106 dB/mW | 102 dB/mW | 100 dB/mW |
| IMPEDANCE (Nominal, 1 kHz) | 34 Ω | 34 Ω | 38 Ω | 44 Ω | 32 Ω | 32 Ω | 44 Ω | 42 Ω |
| MAX INPUT POWER (1 kHz) | 200 mW | 200 mW | 500 mW | 500 mW | 3000 mW | 3000 mW | 1000 mW | 1000 mW |
| FREQUENCY RANGE | 30 Hz – 20 kHz | 25 Hz – 18 kHz | 20 Hz – 20 kHz | 10 Hz – 22 kHz | 5 Hz – 22 kHz | 5 Hz – 30 kHz | 5 Hz – 25 kHz | 5 Hz – 30 kHz |
| NET WEIGHT (w/o cable) | .33 lb (150 g) | .33 lb (150 g) | .52 lb (238 g) | .69 lb (311 g) | .52 lb (235 g) | .64 lb (291 g) | .82 lb (372 g) | .71 lb (322 g) |
| CABLE TYPE | Straight, dual-side | Straight, dual-side | Straight, attached oxygen-free copper | Coiled, single-exit, detachable oxygen-free copper | Straight, attached oxygen-free copper | Coiled, single-exit, detachable oxygen-free copper | Coiled, single-exit, detachable oxygen-free copper | Single-exit, detachable oxygen-free copper |
| CABLE LENGTH | 1.52 m (5 ft) | 1.52 m (5 ft) | 2 m (6.56 ft) | 3 m (9.84 ft) | 2 m (6.56 ft) | 3 m (9.84 ft) | 3 m (9.84 ft) | Coiled: 3 m (9.84 ft) Straight: 2.5 m (8.2 ft) |
| PLUG | Nickel-plated 1/8" (3.5mm) stereo mini jack | Nickel-plated 1/8" (3.5mm) stereo mini jack | Gold-plated 1/8" (3.5mm) stereo jack | Gold-plated 1/8" (3.5mm) stereo jack | Gold-plated 1/8" (3.5mm) stereo jack | Gold-plated 1/8" (3.5mm) stereo jack | Gold-plated 1/8" (3.5mm) stereo jack | Gold-plated 1/8" (3.5mm) stereo jack |
| Accessories | | | | | | | | |
| ADDITIONAL PAIR OF EAR PADS | | | | | | 00 | 00 | 00 |
| DETACHABLE CABLE | | | | Ø | | Ø | Ø | ØØ |
| THREADED 1/4" ADAPTER | | | ← (Nickel-Plated) | - | | | | |
| HARD STORAGE CASE | | | | | | | | |
| CARRYING BAG | | | | | | | | |

SRH Headphones

Specifications and Accessories

| | PREMIUM | | | | | | |
|-----------------------------|--|--|--|--|--|--|--|
| | | | | | | | |
| Model | SRH 1440 | SRH 1540 | SRH 1840 | | | | |
| USE | Designed for mastering and critical listening | Designed for critical listening and monitoring | Designed for mastering and critical listening | | | | |
| Specifications | | | | | | | |
| DESIGN | Open-Back, Circumaural | Closed-Back, Circumaural | Open-Back, Circumaural | | | | |
| DRIVER | 40 mm dynamic, neodymium magnet | 40 mm dynamic, neodymium magnet | 40 mm dynamic, neodymium magnet | | | | |
| SENSITIVITY (1 kHz) | 101 dB/mW | 99 dB/mW | 96 dB/mW | | | | |
| IMPEDANCE (Nominal, 1 kHz) | 37 Ω | 46 Ω | 65 Ω | | | | |
| MAX INPUT POWER (1 kHz) | (INPUT POWER (1 kHz) 1000 mW | | 1000 mW | | | | |
| FREQUENCY RANGE | 15 Hz – 27 kHz | 5 Hz – 25 kHz | 10 Hz – 30 kHz | | | | |
| NET WEIGHT (w/o cable) | .76 lb (343 g) | .63 lb (286 g) | .59 lb (268 g) | | | | |
| CABLE TYPE | Straight, dual-exit, detachable oxygen-free copper | Straight, dual-exit, detachable oxygen-free copper | Straight, dual-exit, detachable oxygen-free copper | | | | |
| CABLE LENGTH | 2.1 m (6.9 ft) | 1.8 m (6 ft) | 2.1 m (6.9 ft) | | | | |
| PLUG | Gold-plated 1/8" (3.5mm) stereo jack | Gold-plated 1/8" (3.5mm) stereo jack | Gold-plated 1/8" (3.5mm) stereo jack | | | | |
| Accessories | | | | | | | |
| ADDITIONAL PAIR OF EAR PADS | 00 | 00 | 00 | | | | |
| DETACHABLE CABLE | $\overline{\mathbf{O}}$ | \Box \Box | QQ | | | | |
| THREADED 1/4" ADAPTER | | | · | | | | |
| HARD STORAGE CASE | | | | | | | |
| CARRYING BAG | | | | | | | |



Made for iPhone 5c, iPhone 5c, iPhone 5, iPhone 4, iPhone 45, iPhone 3CS, iPad Air, iPad mini with Retina display, iPad (4th generation), iPad mini, iPad (3d generation), iPad 2, iPad, iPad touch (And through 3th generation), iPad ding spratial through 7th generation), and iPod shuffle (1st through 4th generation). iPad, iPhone, iPod classic, iPod nano, iPod touch, and Retina are trademarks of Apple Inc., registered in the U.S. and other countries. iPad Air and iPad mini are trademarks of Apple Inc.

Legendary performance.[™]

From professional applications to everyday personal listening, Shure products deliver an unparalleled combination of precision sound and rugged durability that has made them the choice of musicians and music lovers for over 90 years.



PERFORMANCE™

United States, Canada, Latin America, Caribbean:

Shure Incorporated 5800 West Touhy Avenue Niles, IL 60714-4608 USA

Phone: 847-600-2000 Fax: 847-600-1212 (USA) Fax: 847-600-6446 Email: info@shure.com **Europe, Middle East, Africa:** Shure Europe GmbH Jakob-Dieffenbacher-Str. 12, 75031 Eppingen, Germany

Phone: 49-7262-92490 Fax: 49-7262-9249114 Email: info@shure.de Asia, Pacific:

Shure Asia Limited 22/F, 625 King's Road North Point, Island East Hong Kong

Phone: 852-2893-4290 Fax: 852-2893-4055 Email: info@shure.com.hk

www.shure.com

©2014 Shure Incorporated

AL26957