



SRH Headphones SE Sound Isolating[™] Earphones

AUDIO ELEVATED, EVERYWHERE.

The full spectrum of sound.

Whether in the studio, on stage, or on the go, Shure offers a complete range of headphones and earphones for every kind of listener.

PREMIUM HEADPHONES

Perfectly suited for mastering and critical listening, Shure premium headphones deliver natural sound with unmatched nuance and detail.

STUDIO HEADPHONES

Engineered for accurate response, Shure studio headphones are ideal for both professional monitoring and personal listening.

PORTABLE HEADPHONES


Made to go anywhere, Shure portable headphones feature full, clear sound in a lightweight, foldable design that's easy to store or carry.

EARPHONES

Developed for personal monitoring, yet equally suited for personal listening, Shure sound isolating earphones deliver detailed audio while naturally blocking most background noise.



SRH1840



Designed for mastering and critical listening



FEATURES

- Unparalleled acoustic performance with individually matched 40 mm neodymium drivers that deliver smooth extended highs and accurate bass
- Open-back, circumaural design for exceptionally natural sound, wide stereo image, and increased depth of field
- Unique steel driver frame design improves linearity, eliminates internal resonance, and ensures consistent performance at all volume levels
- Lightweight and durable dual-frame construction with aircraft-grade aluminum alloy yoke and stainless steel grilles for enhanced durability and hours of listening comfort

INCLUDES

- Additional pair of velour ear pads
- Dual-exit, detachable cables with MMCX connectors

PREMIUM

- Threaded ¹/4" gold-plated adapter
- Zippered hard storage case



SRH1440



Professional Open Back Headphones

Designed for mastering and critical listening

FEATURES

- Full-range audio with rich, controlled bass from 40 mm neodymium drivers
- Open-back, circumaural design for exceptionally natural sound, wide stereo image, and increased depth of field
- Ergonomically designed, fully adjustable, premium steel-frame padded headband for hours of listening comfort
- Impedance-optimized for direct connection to a wide range of portable audio devices


INCLUDES


 Additional pair of velour ear pads

PREMIUM

- Dual-exit, detachable cables with MMCX connectors
- Threaded ¹/₄" gold-plated adapter
- Zippered hard storage case







Designed for critical listening and monitoring

FEATURES

- Superior acoustic performance for an expansive soundstage with clear, extended highs and warm bass
- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Lightweight construction featuring aircraft-grade aluminum alloy yoke and carbon fiber cap for enhanced durability
- Ergonomic dual-frame, padded headband is lightweight and fully adjustable for hours of listening comfort

INCLUDES


 Additional pair of Alcantara[™] ear pads

PREMIUM

- Dual-exit, detachable cables with MMCX connectors
- Threaded ¹/₄" gold-plated adapter
- Zippered hard storage case







Designed for critical listening, monitoring and mastering

FEATURES

- Accurate frequency response delivers tight bass and smooth, high-end extension, with minimal distortion
- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Lightweight, ergonomic fit with premium padded headband for comfortable, extended wear
- Collapsible design with 90-degree swivel ear cups for easy storage and portability
- Bayonet clip securely locks detachable cable into ear cup

- Additional pair of velour ear pads
- Detachable coiled and straight cables
- Threaded ¹/4" gold-plated adapter
- Zippered hard travel case









Professional Monitoring Headphones

Optimized for studio recording

FEATURES

- Tailored frequency response delivers rich bass, clear mid-range and extended highs
- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Wide, padded headband provides ergonomic fit for superior comfort over extended periods
- Collapsible design for convenient portability
- Bayonet clip securely locks detachable cable into ear cup

- Additional pair of ear pads
- Detachable coiled cable
- Threaded 1/4"
 gold-plated adapter
- Carrying bag





Professional DJ Headphones

Engineered for live DJ mixing and monitoring

FEATURES

- Enhanced frequency response tuned to deliver high-output bass with extended highs
- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Adjustable, collapsible headband with 90-degree swivel ear cups for comfort and easy one-ear placement
- Maximized power handling for DJ mixers
- Bayonet clip securely locks detachable cable into ear cup

INCLUDES

• Additional pair of ear pads

STUDIO DJ

- Detachable coiled cable
- Threaded ¹/4" gold-plated adapter
- Carrying bag



SRH550DJ



Professional Quality DJ Headphones

Designed for DJ mixing and personal listening

FEATURES

- Full-range frequency response with extended bass
- Closed-back, supra-aural design for comfortable, isolating fit
- Adjustable, collapsible headband with 90-degree swivel ear cups for comfort and flexible wearing positions
- Ultra-lightweight design folds to small size for maximum portability

INCLUDES

• Threaded ¹/4" gold-plated adapter

STUDIO DJ

Carrying bag



SRH**440**



Professional Studio Headphones

Developed for professional and home studios

FEATURES

- Enhanced frequency response delivers accurate audio across an extended range
- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Optimized impedance and power handling for performance with professional audio devices
- Adjustable headband and collapsible construction provide comfort and portability
- Bayonet clip securely locks detachable cable into ear cup

- Detachable coiled cable
- Threaded 1/4" gold-plated adapter
- Carrying bag





Professional Quality Headphones

Ideal for vivid listening on almost any device

FEATURES

- Wide frequency range delivers full bass and detailed highs
- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Optimized performance for use with most pro and consumer audio devices

INCLUDES

• Threaded ¹⁄4" nickel-plated adapter



SRH145/m+



Portable Headphones

Designed for immersive listening on the go

FEATURES

- Rich deep bass with full range audio
- Closed-back, on-ear design for external noise isolation and comfortable fit
- Ultra-lightweight, collapsible headband for compact carrying and storage

PORTABLE







SRH**144**



Portable Semi-Open Headphones

Designed for detailed listening on the go



FEATURES

- Extended range audio with enhanced high-frequency response
- Semi-open, on-ear design for natural sound and comfortable fit
- Ultra-lightweight, collapsible headband for compact carrying and storage



SE**846**



ClearBlue

Bronze
Black

Sound Isolating[™] Earphones

Extended high-end clarity + unparalleled low-end performance

SPEAKER

Quad High-Definition MicroDrivers with True Subwoofer

FEATURES

- Groundbreaking low-pass filter design enables the deep low-end performance of a True Subwoofer without sacrificing clarity or detail
- Adjustable frequency response for customized sound signatures; balanced, warm and bright options included
- Three-way system configuration for dedicated low, mid and high frequency distribution
- Detachable, Kevlar[™] reinforced cable in two lengths allows for flexible wearing options and customization

- Soft flex sleeves (S, M, L)
- Foam sleeves (S, M, L)
- Yellow foam sleeves
- Triple flange sleeves
- Road case
- Premium carrying case
- ¹/4" adapter
- Airline adapter
- Volume control
- Nozzle removal key2 pairs of nozzle inserts
- Polishing cloth







Sound Isolating[™] Earphones

Spacious sound + rich bass

SPEAKER


Triple High-Definition MicroDrivers

FEATURES

- Dedicated dual woofers and a single tweeter per channel for spacious soundstage and rich bass
- Internal crossover routes high and low frequencies for clarity across the audio spectrum
- Rugged and ergonomic build provides long-lasting comfort and durability for on-stage or everyday use
- Detachable, Kevlar[™] reinforced cable with wireform fit for easy replacement or customization

- Soft flex sleeves (S, M, L)
- Foam sleeves (S, M, L)
- Yellow foam sleeves
- Triple flange sleeves
- Premium carrying case
- 1⁄4" adapter
- Airline adapter
- Volume control





Sound Isolating[™] Earphones


Accurate + balanced sound



Dual High-Definition MicroDrivers
INCLUDES

- Soft flex sleeves (S, M, L)
- Foam sleeves (S, M, L)
- Yellow foam sleeves
- Triple flange sleeves
- Premium carrying case
- 1/4" adapter

SPEAKER





Sound Isolating[™] Earphones Full range sound

SPEAKER

High-Definition MicroDriver + Tuned BassPort

INCLUDES

- Soft flex sleeves (S, M, L)
- Foam sleeves (S, M, L)
- Yellow foam sleeves
- Triple flange sleeves
- Carrying case

BlackClear





Sound Isolating[™] Earphones

Detailed sound + enhanced bass

SPEAKER Dynamic MicroDriver

INCLUDES


- Soft flex sleeves (S, M, L)
- Foam sleeves (S, M, L)
- Carrying case



SE**112/m**+

Sound Isolating[™] Earphones

Great sound + deep bass



Carrying pouch

Inline microphone and three button remote for music and calls (SE112m+ only)

Translucent Black
 Clear

SHURE

215

Gray



SE Sound Isolating[™] Earphones Specifications and Accessories



Model	SE112/m+	SE 215	SE 315	SE 425
SOUND SIGNATURE	Great sound + deep bass	Detailed sound + enhanced bass	Full range sound	Accurate + balanced sound

Specifications

DRIVER	⊲ Single	⊲ Single	◀ Single High-Definition	 ◄ Dual High-Definition
SENSITIVITY (1 kHz)	105 db SPL/mW	107 db SPL/mW	116 db SPL/mW	109 db SPL/mW
IMPEDANCE (Nominal, 1 kHz)	16 Ω	17 Ω	27 Ω	22 Ω
FREQUENCY RANGE	25 Hz – 17 kHz	22 Hz – 17.5 kHz	22 Hz – 18.5 kHz	20 Hz – 19 kHz
CABLE	Attached 50" (127 cm) cable	Detachable 64" (162 cm) cable with wireform fit	Detachable 64" (162 cm) cable with wireform fit	Detachable 64" (162 cm) cable with wireform fit
COLORS	Gray	Clear, Black	Clear, Black	Clear, Metallic Silver

Accessories

Accessones			
SOFT FLEX SLEEVES (S,M,L)			
FOAM SLEEVES (S,M,L)			
YELLOW FOAM SLEEVES			
TRIPLE FLANGE SLEEVES		Ā	Ą
ROAD CASE			
PREMIUM CARRYING CASE			
CARRYING CASE/POUCH			
1/4" ADAPTER			
AIRLINE ADAPTER			
VOLUME CONTROL			
NOZZLE REMOVAL KEY			
NOZZLE INSERTS			
POLISHING CLOTH			

Detachable. Replaceable. Customizable.

Shure Sound Isolating[™] Earphones feature detachable, Kevlar[™] reinforced cables that allow for easy replacement or customization.



Music + Mobile.

DETAILED SOUND FOR MUSIC AND CALLS

Add Music Phone Accessory Cables to convert your Shure detachable earphones into a stereo mobile headset with enhanced controls for musicenabled phones and portable devices. Two versions are available based on device compatibility.



Music Phone Accessory Cable (M+/M) sold separately

Isolation, not cancellation.




ISOLATION Sound isolating earphones naturally block most background noise for a clear, detailed listening experience.



CANCELLATION Noise cancellation technology uses active circuitry to counteract background noise, which may introduce artifacts into your audio.



 Initial Action Initial Action 	◀◀◀◀ Quad High-Definition
119 db SPL/mW	114 db SPL/mW
36 Ω	9 Ω
18 Hz – 19 kHz	15 Hz – 20 kHz
Detachable 64" (162 cm) cable with wireform fit	Detachable 64" (162 cm) and 46" (116 cm) cables with wireform fit
Clear, Metallic Bronze	Clear, Bronze, Blue, Black



SRH Headphones

Specifications and Accessories

(PORTABLE			
Model	SRH 144	SRH 145/m +	SRH 240A	SRH 440
USE	Designed for detailed listening on the go	Designed for immersive listening on the go	Ideal for vivid listening on almost any device	Developed for professional and home studios

Specifications

DESIGN	Semi-open, Supra-aural	Closed-Back, Supra-aural	Closed-Back, Circumaural	Closed-Back, Circumaural
DRIVER	36 mm dynamic, neodymium magnet	36 mm dynamic, neodymium magnet	40 mm dynamic, neodymium magnet	40 mm dynamic, neodymium magnet
SENSITIVITY (1 kHz)	96 dB/mW	100 dB/mW	107 dB/mW	105 dB/mW
IMPEDANCE (Nominal, 1 kHz)	34 Ω	34 Ω	38 Ω	44 Ω
MAX INPUT POWER (1 kHz)	200 mW	200 mW	500 mW	500 mW
FREQUENCY RANGE	30 Hz – 20 kHz	25 Hz – 18 kHz	20 Hz – 20 kHz	10 Hz – 22 kHz
NET WEIGHT (w/o cable)	.33 lb (150 g)	.33 lb (150 g)	.52 lb (238 g)	.69 lb (311 g)
CABLE TYPE	Straight, dual-side	Straight, dual-side	Straight, attached oxygen-free copper	Coiled, single-exit, detachable oxygen-free copper
CABLE LENGTH	1.52 m (5 ft)	1.52 m (5 ft)	2 m (6.56 ft)	3 m (9.84 ft)
PLUG	Nickel-plated 1/8" (3.5mm) stereo jack	Nickel-plated 1/8" (3.5mm) stereo jack	Gold-plated 1/8" (3.5mm) stereo jack	Gold-plated 1/8" (3.5mm) stereo jack

Accessories

ADDITIONAL PAIR OF EAR PADS			
DETACHABLE CABLE			Ø
THREADED 1/4" ADAPTER		(Nickel-Plated)	
HARD STORAGE CASE			
CARRYING BAG			



Designed for DJ mixing and personal listening DJ mixing and monitoring

Closed-Back, Supra-aural	Closed-Back, Circumaural	Closed-Back, Circumaural	Closed-Back, Circumaural
50 mm dynamic, neodymium magnet	50 mm dynamic, neodymium magnet	40 mm dynamic, neodymium magnet	40 mm dynamic, neodymium magnet
109 dB/mW	106 dB/mW	102 dB/mW	100 dB/mW
32 Ω	40 Ω	44 Ω	42 Ω
3000 mW	3000 mW	1000 mW	1000 mW
5 Hz – 22 kHz	5 Hz – 30 kHz	5 Hz – 25 kHz	5 Hz – 30 kHz
.52 lb (235 g)	.64 lb (291 g)	.82 lb (372 g)	.71 lb (322 g)
Straight, attached oxygen-free copper	Coiled, single-exit, detachable oxygen-free copper	Coiled, single-exit, detachable oxygen-free copper	Single-exit, detachable oxygen-free copper
2 m (6.56 ft)	3 m (9.84 ft)	3 m (9.84 ft)	Coiled: 3 m (9.84 ft) Straight: 2.5 m (8.2 ft)
Gold-plated 1/8" (3.5mm) stereo jack	Gold-plated 1/8" (3.5mm) stereo jack	Gold-plated 1/8" (3.5mm) stereo jack	Gold-plated 1/8" (3.5mm) stereo jack

	00	00	00
	Ø	Ø	ØØ
·			
		(



Model	SRH 1440	SRH 1540	SRH1840
USE	Designed for mastering and critical listening	Designed for critical listening and monitoring	Designed for mastering and critical listening

Specifications

DESIGN	Open-Back, Circumaural	Closed-Back, Circumaural	Open-Back, Circumaural
DRIVER	40 mm dynamic, neodymium magnet	40 mm dynamic, neodymium magnet	40 mm dynamic, neodymium magnet
SENSITIVITY (1 kHz)	101 dB/mW	99 dB/mW	96 dB/mW
IMPEDANCE (Nominal, 1 kHz)	37 Ω	46 Ω	65 Ω
MAX INPUT POWER (1 kHz)	1000 mW	1000 mW	1000 mW
FREQUENCY RANGE	15 Hz – 27 kHz	5 Hz – 25 kHz	10 Hz – 30 kHz
NET WEIGHT (w/o cable)	.76 lb (343 g)	.63 lb (286 g)	.59 lb (268 g)
CABLE TYPE	Straight, dual-exit, detachable oxygen-free copper	Straight, dual-exit, detachable oxygen-free copper	Straight, dual-exit, detachable oxygen-free copper
CABLE LENGTH	2.1 m (6.9 ft)	1.8 m (6 ft)	2.1 m (6.9 ft)
PLUG	Gold-plated 1/8" (3.5mm) stereo jack	Gold-plated 1/8" (3.5mm) stereo jack	Gold-plated 1/8" (3.5mm) stereo jack

Accessories

ADDITIONAL PAIR OF EAR PADS	00	00	00
DETACHABLE CABLE	$\bigcirc \bigcirc$	\bigcirc	$\bigcirc \bigcirc$
THREADED 1/4" ADAPTER	·	·	·
HARD STORAGE CASE			
CARRYING BAG			



"Made for iPod," "Made for iPhone," and "Made for iPad" mean that an electronic accessory has been designed to connect specifically to iPod, iPhone, or iPad, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with adelty and regulatory standards. Prease note that the use of this accessory with iPod, iPhone, or iPad may affect writeless profromance.

Legendary performance.[™]

From professional applications to everyday personal listening, Shure products deliver an unparalleled combination of precision sound and rugged durability that has made them the choice of musicians and music lovers for over 90 years.



LEGENDARY PERFORMANCE™ United States, Canada, Latin America, Caribbean: Shure Incorporated

Shure Incorporated 5800 West Touhy Avenue Niles, IL 60714-4608 USA

Phone: 847-600-2000 Fax: 847-600-1212 (USA) Fax: 847-600-6446 Email: info@shure.com **Europe, Middle East, Africa:** Shure Europe GmbH Jakob-Dieffenbacher-Str. 12, 75031 Eppingen, Germany

Phone: 49-7262-92490 Fax: 49-7262-9249114 Email: info@shure.de

Asia, Pacific:

Shure Asia Limited 22/F, 625 King's Road North Point, Island East Hong Kong

Phone: 852-2893-4290 Fax: 852-2893-4055 Email: info@shure.com.hk

©2015 Shure Incorporated